

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|-------------------------------------|------------------|---------|------------------|
| L1 | 3 | select adj pattern adj register | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:34 |
| L2 | 1537 | buffer adj manager | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:29 |
| L3 | 336 | program adj code adj memory | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:30 |
| L4 | 12649 | (program adj code) with memory | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:30 |
| L5 | 14972 | shared adj memory | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:31 |
| L6 | 1187800 | (control adj (unit or device or means)) or controller | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:31 |
| L7 | 9 | 3 and 5 and 6 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:35 |
| L8 | 397 | 4 and 5 and 6 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:32 |
| L9 | 0 | 2 and 7 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:32 |
| L10 | 2 | 2 and 8 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:37 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| L11 | 70 | (store adj code) same (store adj data) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:55 |
| L12 | 0 | 2 and 11 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:33 |
| L13 | 8 | 11 same select\$6 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:34 |
| L14 | 1 | 3 and 11 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:43 |
| L15 | 2 | 4 and 11 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:54 |
| L16 | 1549 | select\$6 with program with code with memory | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:43 |
| L17 | 40 | (store adj code) with (store adj data) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:56 |
| L18 | 2994 | interface with idle | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 15:57 |
| L19 | 641 | interface with (idle adj state) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:00 |
| L20 | 0 | (code adj buffer) with (data adj buffer) with select\$6 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:00 |
| L21 | 19 | (code adj buffer) same (data adj buffer) same select\$6 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:01 |

| | | | | | | |
|-----|-----|-----------------|--|----|-----|---------------------|
| L22 | 1 | 2 and 21 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:05 |
| L23 | 1 | ("6643725").PN | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:19 |
| L24 | 605 | (711/151).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:19 |
| L25 | 576 | (711/158).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:20 |
| L26 | 930 | (711/147).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:20 |
| L27 | 588 | (711/152).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:20 |
| L28 | 375 | (710/14).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:20 |
| L29 | 191 | (710/23).CCLS. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/05/01 16:20 |